

Vehicle Type	E.T.	Vehicle Technical Requirements	Personal Protective Equipment
<p><b>Unmodified* Cars without</b> factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag.</p>	<p>10.500 seconds (1/4 mile) and slower.</p> <p>6.687 seconds (1/8 mile) and slower.</p>	<p><b>Technical Inspection &amp; Logbook:</b> Not Required.</p> <p><b>Rollcage:</b> Not Required.</p> <p><b>Seatbelt / Harness:</b> Quick Release lap sash 3-point to AS E35 or AS/NZS 2596 as a minimum for 12.000 seconds (1/4 mile) / 7.643 seconds (1/8 mile) and slower.</p> <p>Faster than 110mph: 4-point to AS E35 or AS/NZS 2596 as a minimum.</p> <p>Faster than 130mph: 5-point to SFI 16.1 or FIA 8853 as a minimum.</p>	<p><b>Clothing:</b> Long sleeve top &amp; full-length trousers as a minimum. Jacket meeting SFI13.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p><b>Helmet:</b> FIA 8860-2018, FIA 8860-2010, FIA 8859-2015, FIA 8859-2010, SNELL SA2020, SNELL M2020, SNELL SA2015, SNELL M2015, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, ECE 22.05 – only if 11.000 seconds (1/4 mile) / 7.006 seconds (1/8 mile) and slower.</p>
<p><b>Modified Cars without</b> factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag.</p>	<p>12.000 seconds (1/4 mile) and slower.</p> <p>7.643 seconds (1/8 mile) and slower.</p>	<p>As needed, please contact ANDRA Technical for further info. P (08) 8271 5355 E <a href="mailto:technical@andra.com.au">technical@andra.com.au</a></p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

**Unmodified\* Car** is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag. Note, there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

**Unmodified\* Modern Car** is an unmodified Modern Street Cars (and derivatives such as Coupes, Utilities and Station Wagons etc) **with** factory fitted OEM four-wheel disc brakes and OEM driver's airbags. Note there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

**\*Unmodified** means a car with **no** modifications to the floor, rear wheelwells or boot floor, with a fixed standard OEM fixed roof.

Note that replacing floor panels with like-for-like material (specification and thickens) e.g. for rust repair etc. is not considered as a modification.

Vehicle Type	E.T.	Vehicle Technical Requirements	Personal Protective Equipment
<p><b>Unmodified* Cars without</b> factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag.</p>	<p>10.499 seconds (1/4 mile) and quicker.</p> <p>6.686 seconds (1/8 mile) and quicker.</p>	<p><b>Technical Inspection &amp; Logbook:</b> Required.</p> <p>Please contact ANDRA Technical for further info. P (08) 8271 5355 E <a href="mailto:technical@andra.com.au">technical@andra.com.au</a></p> <p><b>Rollcage:</b> Required.</p> <p><a href="https://www.andra.com.au/technical/technicaldocumentation/">https://www.andra.com.au/technical/technicaldocumentation/</a></p>	<p><b>Unmodified Cars, Modified Cars 10.499 seconds and quicker (1/4 mile or equivalent) Clothing:</b> Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/ socks/ boots meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum. Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum.</p>
<p><b>Modified Cars without</b> factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag.</p>	<p>11.999 seconds (1/4 mile) and quicker.</p> <p>7.642 seconds (1/8 mile) and quicker.</p>	<p><b>Seatbelt / Harness:</b> Faster than 110mph: 4-point to AS E35 or AS/NZS 2596 as a minimum. Faster than 130mph: 5-point to SFI 16.1 or FIA 8853 as a minimum.</p> <p><b>Race Seat &amp; Arm Restraint System:</b> Required if quicker than 10.000 seconds (1/4 mile) / .6.369 seconds (1/8 mile)</p> <p><b>Parachute:</b> Compulsory all vehicles exceeding 140 mph (224kph).</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p><b>Modified Cars 10.500 seconds and slower (1/4 mile or equivalent) Clothing:</b> Long sleeve top &amp; full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p><b>Helmet:</b> FIA 8860-2018, FIA 8860-2010, FIA 8859-2015, FIA 8859-2010, SNELL SA2020, SNELL M2020, SNELL SA2015, SNELL M2015, SFI 31.1, SFI 41.1</p> <p><b>On Board Fire Suppression Systems:</b> Only required for enclosed vehicle 8.000 seconds (1/4 mile) / 5.095 seconds (1/8 mile) and quicker.</p> <p><b>Arm Restraint System:</b> Must be manufactured for the purpose of motor sport and comply with SFI 3.3.</p>

**Unmodified\* Car** is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag. Note, there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

**Unmodified\* Modern Car** is an unmodified Modern Street Cars (and derivatives such as Coupes, Utilities and Station Wagons etc) **with** factory fitted OEM four-wheel disc brakes and OEM driver's airbags. Note there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

\***Unmodified** means a car with **no** modifications to the floor, rear wheelwells or boot floor, with a fixed standard OEM fixed roof.

Note that replacing floor panels with like-for-like material (specification and thickens) e.g. for rust repair etc. is not considered as a modification.

Vehicle Type	E.T.	Vehicle Technical Requirements	Personal Protective Equipment
<p><b>Unmodified* Modern Cars with</b> factory fitted OEM four-wheel disc brakes and OEM driver's airbags.</p>	<p>10.000 seconds (1/4 mile) and slower.</p> <p>6.369 seconds (1/8 mile) and slower.</p>	<p><b>Technical Inspection &amp; Logbook:</b> Not Required.</p> <p><b>Rollcage:</b> Not Required.</p> <p><b>Seatbelt / Harness:</b> Quick Release lap sash 3-point to AS E35 or AS/NZS 2596 as a minimum for 12.000 seconds (1/4 mile) / 7.643 seconds (1/8 mile) and slower. Faster than 110mph: 4-point to AS E35 or AS/NZS 2596 as a minimum. Faster than 130mph: 5-point to SFI 16.1 or FIA 8853 as a minimum.</p> <p><b>Parachute:</b> Compulsory all vehicles exceeding 140 mph (224kph).</p>	<p><b>Clothing:</b> Long sleeve top &amp; full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p><b>Helmet:</b> FIA 8860-2018, FIA 8860-2010, FIA 8859-2015, FIA 8859-2010, SNELL SA2020, SNELL M2020, SNELL SA2015, SNELL M2015, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, ECE 22.05 – only if 11.000 seconds (1/4 mile) / 7.006 seconds (1/8 mile) and slower.</p>
<p><b>Modified Modern Cars with</b> factory fitted OEM four-wheel disc brakes and OEM driver's airbags.</p>	<p>12.000 seconds (1/4 mile) and slower.</p> <p>7.643 seconds (1/8 mile) and slower.</p>	<p>As needed, please contact ANDRA Technical for further info. P (08) 8271 5355 E <a href="mailto:technical@andra.com.au">technical@andra.com.au</a></p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

**Unmodified\* Car** is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag. Note, there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

**Unmodified\* Modern Car** is an unmodified Modern Street Cars (and derivatives such as Coupes, Utilities and Station Wagons etc) **with** factory fitted OEM four-wheel disc brakes and OEM driver's airbags. Note there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

\***Unmodified** means a car with **no** modifications to the floor, rear wheelwells or boot floor, with a fixed standard OEM fixed roof.

Note that replacing floor panels with like-for-like material (specification and thickens) e.g. for rust repair etc. is not considered as a modification.

Vehicle Type	E.T.	Vehicle Technical Requirements	Personal Protective Equipment
<p><b>Unmodified* Modern Cars with</b> factory fitted OEM four-wheel disc brakes and OEM driver's airbags.</p>	<p>9.999 seconds (1/4 mile) and quicker.</p> <p>6.368 seconds (1/8 mile) and quicker.</p>	<p><b>Technical Inspection &amp; Logbook:</b> Required.</p> <p>Please contact ANDRA Technical for further info. P (08) 8271 5355 E <a href="mailto:technical@andra.com.au">technical@andra.com.au</a></p> <p><b>Rollcage:</b> Required.</p> <p><a href="https://www.andra.com.au/technical/technicaldocumentation/">https://www.andra.com.au/technical/technicaldocumentation/</a></p> <p><b>Seatbelt / Harness:</b> Faster than 110mph: 4-point to AS E35 or AS/NZS 2596 as a minimum. Faster than 130mph: 5-point to SFI 16.1 or FIA 8853 as a minimum.</p> <p><b>Race Seat &amp; Arm Restraint System:</b> Required if quicker than 10.000 seconds (1/4 mile) / .6.369 seconds (1/8 mile)</p> <p><b>Parachute:</b> Compulsory all vehicles exceeding 140 mph (224kph).</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p><b>Clothing:</b> Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/ socks/ boots meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum. Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum.</p> <p><b>Modified Cars 10.500 seconds and slower (1/4 mile or equivalent) Clothing:</b> Long sleeve top &amp; full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p><b>Helmet:</b> FIA 8860-2018, FIA 8860-2010, FIA 8859-2015, FIA 8859-2010, SNELL SA2020, SNELL M2020, SNELL SA2015, SNELL M2015, SFI 31.1, SFI 41.1</p> <p><b>On Board Fire Suppression Systems:</b> Only required for enclosed vehicle 8.000 seconds (1/4 mile) / 5.095 seconds (1/8 mile) and quicker.</p> <p><b>Arm Restraint System:</b> Must be manufactured for the purpose of motor sport and comply with SFI 3.3.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>
<p><b>Modified Modern Cars with</b> factory fitted OEM four-wheel disc brakes and OEM driver's airbags.</p>	<p>11.999 seconds (1/4 mile) and quicker.</p> <p>7.642 seconds (1/8 mile) and quicker.</p>	<p><b>Race Seat &amp; Arm Restraint System:</b> Required if quicker than 10.000 seconds (1/4 mile) / .6.369 seconds (1/8 mile)</p> <p><b>Parachute:</b> Compulsory all vehicles exceeding 140 mph (224kph).</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p><b>On Board Fire Suppression Systems:</b> Only required for enclosed vehicle 8.000 seconds (1/4 mile) / 5.095 seconds (1/8 mile) and quicker.</p> <p><b>Arm Restraint System:</b> Must be manufactured for the purpose of motor sport and comply with SFI 3.3.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

**Unmodified\* Car** is an unmodified Sedan based vehicle (and derivatives such as Coupes, Utilities and Station Wagons etc) **without** factory fitted OEM four-wheel disc brakes and/or OEM driver's airbag. Note, there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

**Unmodified\* Modern Car** is an unmodified Modern Street Cars (and derivatives such as Coupes, Utilities and Station Wagons etc) **with** factory fitted OEM four-wheel disc brakes and OEM driver's airbags. Note there is no requirement for the vehicle to be street driven, be street registered or be street registerable.

\***Unmodified** means a car with **no** modifications to the floor, rear wheelwells or boot floor, with a fixed standard OEM fixed roof.

Note that replacing floor panels with like-for-like material (specification and thickens) e.g. for rust repair etc. is not considered as a modification.

Vehicle Type	E.T.	Technical Requirements	Personal Protective Equipment
Motorcycle	<p>10.000 seconds (1/4 mile) / 6.369 seconds (1/8 mile) and slower on a <b>Modified Motorcycle</b>.</p> <p>9.500 seconds (1/4 mile) / 6.050 seconds (1/8 mile) and slower on an <b>Unmodified Motorcycle**</b>.</p>	<p><b>Technical Inspection:</b> Not Required.</p> <p>No other equipment required if the motorcycle is as manufactured.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p><b>Clothing:</b> Long trousers, a securely fastened leather or material of similar or greater durability jacket, motorcycle road riding gloves and closed footwear as a minimum.</p> <p><b>Helmet:</b> FIA 8860-2018, FIA 8860-2010, FIA 8859-2015, FIA 8859-2010, SNELL SA2020, SNELL M2020, SNELL SA2015, SNELL M2015, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, ECE 22.05.</p> <p>The use of open face helmets on any motorcycle is prohibited.</p>
Motorcycle	<p>9.999 seconds (1/4 mile) / 6.368 seconds (1/8 mile) and quicker on a <b>Modified Motorcycle</b>.</p> <p>9.499 seconds (1/4 mile) / 6.049 seconds (1/8 mile) and quicker on an <b>Unmodified Motorcycle**</b>.</p> <p><b>**Unmodified Motorcycle:</b> A motorcycle which is in OEM manufactured specification, excepting minor modifications. A standard swingarm for the model, forks, brake callipers and road legal tyres must be utilised and the original wheelbase of the motorcycle must be maintained.</p>	<p><b>Technical Inspection:</b> Mandatory for modified motorcycles quicker than 10.00 or any motorcycle with a modified swing arm, frame or brakes.</p> <p>Unmodified Production Motorcycles may achieve a performance of no quicker than 9.50 without requiring a Technical Inspection.</p> <p>A functional "lanyard" type kill switch must be fitted in addition to the kill switch requirement and be attached to the rider while operating.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p><b>Clothing:</b> Full leather rider's suit, 1-piece or 2-piece zipped together.</p> <p>Full leathers or material of similar or greater durability that must be of one piece or zip together construction.</p> <p>Full leather boots 275mm height. May use short boots that cover ankles if pants cover top of boots. Elastic sided boots prohibited, lace up or zip up boots as a minimum.</p> <p>Short boots that extend to above ankle are accepted in bike classes providing the rider's pants extend to cover part of the boot and prevent exposure of skin.</p> <p>Clothing should include full length pants, no shortened pant types allowed.</p> <p>Leather motorcycle riding gloves as a minimum.</p> <p>Gloves and jacket sleeves must overlap. Gloves with carbon fibre or Kevlar knuckling and/ or palms are strongly recommended.</p> <p>The wearing of club "colours" in conjunction with leathers or otherwise is expressly forbidden.</p> <p><b>Helmet:</b> FIA 8860-2018, FIA 8860-2010, FIA 8859-2015, FIA 8859-2010, SNELL SA2020, SNELL M2020, SNELL SA2015, SNELL M2015, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, ECE 22.05.</p> <p>The use of open face helmets on any motorcycle is prohibited.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>